

SECTION 1 – PRODUCT AND COMPANY INFORMATION

Product Identifiers

Product name: 1205 BOILER COMPOUND

Product Application: Boiler Water Treatment

Emergency telephone number: CHEMTREC (800) 424-9300 Poison Control: 1-800-222-1222

SECTION 2 – HAZARD IDENTIFICATION

Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Signal Word: **WARNING**

Pictograms:



Physical Hazards: Not Classified

Health Hazards: Skin Irritation/Corrosion (Category 2) Causes skin irritation.

Eye Damage/Irritation (Category 2A) Causes serious eye irritation.

Environmental Hazards: : May be harmful to aquatic life.

Precautionary Statements

Prevention: P234 Keep only in original container.
P260 Do not breathe mist, vapors or spray.
P264 Wash skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ eye protection/ face protection.

Response:

304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P314 Get medical advice/ attention if you feel unwell.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P390 Absorb spillage to prevent material damage.

Disposal: P501 Dispose of contents/container in accordance with local regulation.

HNOC: HMIS Rating: Health hazard:2 Chronic Health Hazard: Flammability: 0 Physical Hazard 0
NFPA Rating: Health hazard: 2 Fire Hazard: 0 Reactivity Hazard: 0
* Hazards not otherwise classified (HNOC) or not covered by GHS.

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredient	CAS	Wt%
Potassium Hydroxide	1310-58-3	1-5%.
Sodium Glucoheptonate	31138-65-5	<1%
Sodium Lignosulfonate	8061-51-6	<1%
Ethylenediaminetetraacetic acid, tetrasodium salt	64-02-8	<1%

SECTION 4 – FIRST AID MEASURES

Description of first aid measures

General advice: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Indication of any immediate medical attention and special treatment needed: None known.

SECTION 5 – FIREFIGHTING MEASURES

Flammable Properties: Non-Flammable

Explosive Properties: N/A

Suitable Extinguishing media: N/A

Unsuitable extinguishing media: N/A

Special hazards arising from the substance or mixture: Overheating in fire conditions may produce POISONOUS GASES. Potassium Hydroxide in contact with water or moisture may generate enough heat to ignite combustibles.

Advice for firefighters: Wear self-contained breathing apparatus for firefighting if necessary.

Further information: If employees are expected to fight fires, they must be trained and equipped as stated in the OSHA Fire Brigades Standard (29 CFR 1910.156).

SECTION 6 – ACCIDENTIAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Wear respiratory protection. Avoid dust formation. Avoid breathing vapor, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see Section 8.

Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up: Keep in suitable, closed containers for disposal. Reference to other sections: For disposal see Section 13.

Product is water soluble and may be diluted and flushed as below described.

Other Information: This product is intended to be used in pretreatment of boiler water, and discharged to sanitary sewer in boiler blowdown water. Concentrated product may be diluted to a similar working concentration and flushed to sewer, or soaked up with absorbent material and landfilled in accordance with local, state, and federal regulations.

SECTION 7 – HANDLING AND STORAGE

Precautions for safe handling: Avoid contact with skin and eyes. Avoid formation of aerosols. Provide appropriate exhaust ventilation. For precautions see Section 2.

Conditions for safe storage, including any incompatibilities: Keep container tightly closed in a dry and well-ventilated place. Store as a non-combustible, corrosive hazardous materials

SECTION 8 – EXPOSURE CONTROL AND PERSONAL PROTECTION

Control parameters

Component	CAS #	Value	Control Parameters	Basis
Potassium Hydroxide	1310-58-3	REL	2 mg/m ³	Ceiling Limit Value
		TLV	2 mg/m ³	Ceiling Limit Value
Sodium Glucoheptonate	31138-65-5	No exposure limits published		
Sodium Lignosulfonate	8061-51-6	OSHA PELV	15 mg/M3 (total) and 5 mg/M3 (respirable) (dust as PNOR)	
		ACGIH TLV	15 mg/M3	for dust
Ethylenediaminetetraacetic acid, tetrasodium salt	64-02-8	Not Regulated		

Exposure controls

Appropriate engineering controls: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection: Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product.

Respiratory protection: Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Dark amber liquid with woody odor

pH: 7.7

Specific Gravity: 1.055

Molecular Weight: Mixture

Water Solubility: Complete

Melt/Freeze Point: Not Determined

Boiling Point: 110 C / 230 F

Flammability: Not Flammable

Flash Point: N/A

Vapor Density: NA

Note: Physical Data is typical values based on material tested, but may vary based on composition. Values should not be accepted as guaranteed for every lot or as specifications for this product.

SECTION 10 – STABILITY AND REACTIVITY

Reactivity: No data available
Chemical stability: Stable under normal conditions of use and storage
Possibility of hazardous reactions: No data available
Conditions to avoid: None known
Incompatible materials: Strong acids and oxidizers.
Hazardous decomposition products: None known.

SECTION 11 – TOXICOLOGICAL INFORMATION

Component: Potassium hydroxide CAS 1310-58-3	
Acute Oral Toxicity	LD50 (Rat) 273 mg/kg
Acute inhalation toxicity	80 mg/l (daphnia)
Acute Dermal Toxicity	No data available
Eye irritation	Strong irritant with the danger to cause serious eye injury, caused serious eye irritation
Target Organ Systemic Toxicant -Single exposure	Ingestion or inhalation will result in serious damage to affected membranes
Target Organ Systemic Toxicant - Repeated exposure	Routes of exposure: Inhalation May cause damage to organs through prolonged or repeated exposure.
Skin corrosion/irritation:	
Respiratory or skin sensitization:	Stong caustic effect on skin
Reproductive toxicity:	No data available
Carcinogenicity	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Aspiration hazard:	No data available
Germ cell mutagenicity:	No data available

Germ cell mutagenicity:	No data available
-------------------------	-------------------

Component: Sodium Lignosulfonate CAS 8061-51-6	
Acute Oral Toxicity	LD50 : >5,000 mg/kg
Acute inhalation toxicity	No data available
Acute Dermal Toxicity	No data available
Eye irritation	High alkalinity of product may cause eye irritation
Target Organ Systemic Toxicant -Single exposure	No data available

Target Organ Systemic Toxicant - Repeated exposure	No data available
Skin corrosion/irritation:	Not classified as irritating to the skin
Respiratory or skin sensitization:	No data available
Reproductive toxicity:	No data available
Carcinogenicity	Not a carcinogen
Aspiration hazard:	No data available
Germ cell mutagenicity:	None known
Component: Sodium Glucoheptonate CAS 31138-65-5	
Acute Oral Toxicity	LD50 (Rat) 2000 mg/kg
Acute inhalation toxicity	No data available
Acute Dermal Toxicity	LD50 (Rat) 2000 mg/kg
Eye irritation	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Target Organ Systemic Toxicant -Single exposure	No data available
Target Organ Systemic Toxicant - Repeated exposure	No data available
Skin corrosion/irritation:	No adverse effects due to skin contact are expected.
Respiratory or skin sensitization:	Not a respiratory sensitizer This product is not expected to cause skin sensitization.
Reproductive toxicity:	This product is not expected to cause reproductive or developmental effects.
Inhalation	No adverse effects due to inhalation are expected.
Ingestion	Expected to be a low ingestion hazard.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
Aspiration hazard:	Not an aspiration hazard.
Germ cell mutagenicity:	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Component: Ethylenediaminetetraacetic acid, tetrasodium salt	
Acute Oral Toxicity	LD50 (Rat) 1780 mg/kg
Acute inhalation toxicity	LC50 (Rat): > 1 - 5 mg/
Acute Dermal Toxicity	No data available
Eye irritation	Eye irritation
Target Organ Systemic Toxicant -Single exposure	No data available
Target Organ Systemic Toxicant - Repeated exposure	Routes of exposure: Inhalation May cause damage to organs through prolonged or repeated exposure.
Skin corrosion/irritation:	
Respiratory or skin sensitization:	
Reproductive toxicity:	No data available
Carcinogenicity	No data available
Aspiration hazard:	No data available
Germ cell mutagenicity:	No data available

SECTION 12 – ECOLOGICAL INFORMATION

Component: Potassium hydroxide CAS 1310-58-3	
Toxicity, Fish	80 mg/l 96H
Toxicity, invertebrates	60 mg/l 48H
Toxicity, Algae	ErC50 61 mg/l 96H
Bioaccumulation	This material will not bioconcentrate
Mobility	No data available
Biodegradability	This Material will disassociate into ionic form in the aquatic environment . Natural carbon dioxide will slowly neutralize this material
Biochemical OxygenDemand (BOD)	No data available
Other adverse effects:	No data available
Component: Sodium Lignosulfonate CAS 8061-51-6	
Toxicity, Fish	No data available
Toxicity, invertebrates	No data available
Toxicity, Algae	No data available
Bioaccumulation	No data available
Mobility	No data available
Biodegradability	Partially biodegradable
Biochemical OxygenDemand (BOD)	0.110 lbs. BOD/lb of solids.\0.385 lbs. COD/lb of solids
Other adverse effects:	No data available
Component: Sodium Glucoheptonate CAS 31138-65-5	
Toxicity, Fish	LC50 LC50 Rainbow Trout > 1000 mg/l, 96 hours
Toxicity, invertebrates	EC50 Daphnia 2000 mg/l, 48 hours estimated
Toxicity, Algae	No data available
Bioaccumulation	No data available
Mobility	No data available
Biodegradability	No data available
Biochemical OxygenDemand (BOD)	No data available
Other adverse effects:	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.
Component: Ethylenediaminetetraacetic acid, tetrasodium salt CAS 64-02-8	
Toxicity, Fish	LC50 : >100 mg/l, 96H
Toxicity, invertebrates	EC50 : > 500 mg/l, 24H
Toxicity, Algae	EC50 : >100 mg/l, 72H

Bioaccumulation	No data available
Mobility	No data available
Biodegradability	Not readily biodegradable.
Biochemical Oxygen Demand (BOD)	No data available
Other adverse effects:	No data available

SECTION 13 – DISPOSAL CONSIDERATION

Waste treatment methods:

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging: Dispose of as unused product.

This product is intended to be used in pretreatment of boiler water, and discharged to sanitary sewer in boiler blowdown water. Concentrated product may be diluted to a similar working concentration and flushed to sewer, or soaked up with absorbent material and landfilled in accordance with local, state, and federal regulations.

SECTION 14 – TRANSPORT INFORMATION (USDOT)

Proper shipping Name:	Proprietary Boiler Water Pre-Treatment Blend
Hazard Class:	Non-Hazardous
UN/ID No	None
Packing Group	None
Reportable Quantity (RQ)	None

SECTION 15 – REGULATORY INFORMATION

TSCA (Toxic Substance Control Act): Components of this product are listed on the TSCA Inventory.

DSL: This product, or its components, are listed on or are exempt from the Canadian Domestic Substances List (DSL).

CERCLA: (Comprehensive Emergency Response Compensation, and Liability Act): Product is not found in "List of Hazardous Substances and Reportable Quantities" (40 CFR 302.4): None

RCRA: (Resource Conservation/Recovery Act): No

SARA 302 Components: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards: Acute Health Hazard

STATES: Massachusetts Right to Know Components, Pennsylvania Right To Know Components, New Jersey Right To Know Components: Potassium hydroxide CAS-No.1310-58-3

California Prop. 65 Components: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16 – OTHER INFORMATION

Fire Protection Association (NFPA) Ratings:



NSF Certification: N/A

This Safety Data Sheet compiled from information provided by the raw chemical product manufacturers.

Disclaimer: The information presented herein is based on data considered to be accurate as of the date of preparation of this Safety Data Sheet. However, no warranty or representation, expressed or implied, is made as to the accuracy or completeness of the foregoing data and safety information, nor is any authorization given or implied to practice any patented invention without a license. In addition, no responsibility can be assumed by the vendor for any damage or injury resulting from abnormal use, from failure to adhere to recommended practices, or from any hazards inherent in the nature of the product.